

LCM
LCR
LCG
LCW
LCX
STM
STG
STS/STL
STR2
UCA2
ULK*
JSK/M2
JSG
JSC3/JSC4
USSD
UFCD
USC
UB
JSB3
LMB
LML
HCM
HCA
LBC
CAC4
UCAC2
CAC-N
UCAC-N
RCS2
RCC2
PCC
SHC
MCP
GLC
MFC
BBS
RRC
GRC
RV3*
NHS
HRL
LN
Hand
Chuk
MecHnd/Chuk
ShkAbs
FJ
FK
SpdContr
Ending

Move objects weighing roughly 300 kg effortlessly!

Balancer Unit

BBS Series

BBS-A [Automatic pressure adjustment]

BBS-O [Fixed pressure adjustment]

- Objects weighing up to 285 kg can be managed by a single operator!
- Ensure personnel safety at sites where heavy objects are handled.
- No more inching along! Objects glide as if guided by hand.

ø50

ø63

ø80

ø100

No adjustment is needed when the workpiece is changed!

BBS-A type can be adjusted to the ideal condition by switching with one button without complicated adjustment.

Easy to balance just by switching

BBS-O type need be adjusted only one time according to jig and workpiece.

Can be used just by switching it.

Brakes to ensure safety as standard

Highly reliable brakes are equipped as standard. Even if the air source is cut off, the workpiece does not drop or pop up when air is restored.

Compatible with all-air methods (option)

An all-air method that does not need electricity can be set up.

This is applicable in atmospheres that must be explosion-proof.

Patented



LCM
LCR
LCG
LCW
LCX
STM
STG
STS/STL
STR2
UCA2
ULK*
JSK/M2
JSG
JSC3/JSC4
USSD
UFCD
USC
UB
JSB3
LMB
LML
HCM
HCA
LBC
CAC4
UCAC2
CAC-N
UCAC-N
RCS2
RCC2
PCC
SHC
MCP
GLC
MFC
BBS
RRC
GRC
RV3*
NHS
HRL
LN
Hand
Chuk
MechHnd/Chuk
ShkAbs
FJ
FK
SpdContr
Ending