

Pneumatic Components (Desiccant air dryers) **Safety Precautions**

> Be sure to read this section before use. For general precautions for pneumatic equipment, please refer to Intro 15.

Product-specific cautions: Heatless dryer HD Series

Manufacturer's Disclaimer

⚠ WARNING

■ The manufacturer cannot be held liable in the following Items: In the case where there are serious errors in the operator's use.

• Illegal modifications or repairs using non-standard parts by user.

Design / Selection

▲ WARNING

- Avoid direct sunlight and rain water. Resin parts may deteriorate and break.
- Do not use in locations with corrosive gases.
- ■Use this product within the range of the working temperature.
- Do not use the product where it could freeze. There is a risk of damage to the product due to freezing of condensation water, etc. that have accumulated inside the
- Do not use in hazardous locations (e.g., potentially explosive atmospheres).

- ■Do not use this product in an ozone generating environment.
- We recommend keeping the inlet air temperature as low as possible. Adsorption performance of desiccants will be lower at high temperatures.
- ■Do not use when the inlet air contains corrosive gas, chemical solutions, organic solvents, or combustible gas.
- Carefully prevent water drops from entering inside.

Dryers

Dryers

Main Line

For precautions regarding Installation and Adjustment, Use and Maintenance, refer to CKD Components Product website (https://www.ckd.co.jp/kiki/en/) → "Model No. → Instruction Manual

Ending

Main Line