

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.

Valves, Electrically Operated Certified for Canada - Component


COMPANY

CKD Corporation

2-250 OUJI

KOMAKI-SHI, Aichi 485-8551 Japan

MH47133

Marking: Company name model designation, and the Recognized Component Mark for Canada 

Note: For additional marking information, refer to the [Guide Information Page](#).

View model for additional information

Electrically Operated Valves, Model(s): 3GA1 or 3GD1 followed by 1, 11 or 66, followed by 0, followed by C4, C6, C3N, C4N or M5, followed by E0N, E2N, A2N, E3 or E1, with or without M, H, P, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 3GA1 or 3GD1 followed by 1, 11 or 66, followed by 9, followed by C4, C6, C3N, C4N or M5, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without M, H, K, P, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 3GA2 or 3GD2 followed by 1, 11 or 66, followed by 9, followed by C4, C6, C8, C6N, C8N, 06 or 06N, followed by B, E0N, E2N, A2N, E3 or E1, with or without M, H, K, P, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 3GA2 or 3GD2 followed by 1, 11 or 66, followed by 0, followed by C4, C6, C8, C6N, C8N, 06 or 06N, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without M, H, P, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 3GA3 followed by 1 or 11, followed by 0, followed by C6, C8, C10, C8N, C10N, 08 or 08N, followed by B, E0N, E2N, A2N, E3 or E1, with or without H, P, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 3GA3 or 3GD3 followed by 1 or 11, followed by 9, followed by C6, C8, C10, C8N, C10N, 08 or 08N, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without H, K, P, A or F, with or without FL suffixed with a six-digit number, followed by 3. .

Electrically Operated Valves, Model(s): 3GB1 or 3GE1 followed by 66, followed by 9, followed by 00, followed by E0N, E2N, A2N, E3 or E1, with or without M, H, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 3GB1 or 3GE1 followed by 66, followed by 0, followed by 06 or 06N, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without M, H, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 3GB2 or 3GE2 followed by 66, followed by 0, followed by 08 or 08N, followed by B, E0N, E2N, A2N, E3 or E1, with or without M, H, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 3GB2 or 3GE2 followed by 66, followed by 0, followed by 08 or 08N, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without H, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 3GD3 followed by 1 or 11, followed by 0, followed by C6, C8, C10, C8N, C10N, 08 or 08N, followed by B, E0N, E2N, A2N, E3 or E1, with or without H, P, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 4GA1 followed by 1, 2, 3, 4 or 5, followed by 9, followed by C4, C6, C3N, C4N or M5, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without M, H, K, P, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 4GA1 or 4GD1 followed by 1, 2, 3, 4 or 5, followed by 0, followed by C4, C6, C3N, C4N or M5, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without M, H, P, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 4GA2 or 4GD2 followed by 1, 2, 3, 4 or 5, followed by 0, followed by C4, C6, C8, C6N, C8N, 06 or 06N, followed by B, E0N, E2N, A2N, E3 or E1, with or without M, H, P, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 4GA2 or 4GD2 followed by 1, 2, 3, 4 or 5, followed by 9, followed by C4, C6, C8, C6N, C8N, 06 or 06N, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without M, H, K, P, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 4GA3 or 4GD3 followed by 1, 2, 3, 4 or 5, followed by 0, followed by C6, C8, C10, C8N, C10N, 08 or 08N, followed by B, E0N, E2N, A2N, E3 or E1, with or without H, P, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 4GA3 or 4GD3 followed by 1, 2, 3, 4 or 5, followed by 9, followed by C6, C8, C10, C8N, C10N, 08 or 08N, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without H, K, P, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 4GB1 or 4GE1 followed by 1, 2, 3, 4 or 5, followed by 9, followed by 00, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without M, H, K, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 4GB1 or 4GE1 followed by 1, 2, 3, 4 or 5, followed by 0, followed by 06 or 06N, followed by E0N, E2N, A2N, E3 or E1, with or without M, H, K, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 4GB2 or 4GE2 followed by 1, 2, 3, 4 or 5, followed by 0, followed by 08 or 08N, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without M, H, K, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 4GB2 or 4GE2 followed by 1, 2, 3, 4 or 5, followed by 9, followed by 00, followed by B, E0N, E2N, A2N, E3 or E1, with or without M, H, K, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 4GB3 or 4GE3 followed by 1, 2, 3, 4 or 5, followed by 0, followed by 08, 10, 08N or 10N, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without H, K, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 4GB3 or 4GE3 followed by 1, 2, 3, 4 or 5, followed by 9, followed by 00, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without H, K, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 4GD2 followed by 1, 2, 3, 4 or 5, followed by 9, followed by C4, C6, C8, C6N, C8N, 06 or 06N, followed by B, E0N, E2N, A2N, E3 or E1, with or without M, H, K, P, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): 4GE2 followed by 1, 2, 3, 4 or 5, followed by 0, followed by 08 or 08N, followed by B, E0N, E2N, A2N, E3 or E1, with or without H, K, A or F, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): M3GA1 or M3GD1 followed by 1, 11, 66 or 8, followed by 0, followed by C4, C6, CX, C3N, C4N, CXN, M5, followed by E0N, E2N, A2N, E3 or E1, with or without M, H, K, A, F, Z1, with or without D, followed by 2, 3, 4, 5, 6, 7,

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): M3GA2 or M3GD2 followed by 1, 11, 66 or 8, followed by 0, followed by C4, C6, C8, CX, C6N, C8N, CXN, 06 or 06N, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without M, H, K, A, F, Z1 or Z2, with or without D, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): M3GA3 followed by 1, 11, or 8, followed by 0, followed by C6, C8, C10, CX, C8N, C10N, CXN, 08 or 08N, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without H, K, A, F, Z1 or Z2, with or without D, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20, with or without FL suffixed with a six-digit number, followed by 3. (

Electrically Operated Valves, Model(s): M3GB1 or M3GE1 followed by 66 or 8, followed by 0, followed by C4, C6, C3N, C4N, CD3N, CD4, CD4N, CD6, CX, CXN or M5, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without M, H, A, F or Z1, with or without D, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): M3GB2 or M3GE2 followed by 66 or 8, followed by 0, followed by C4, C6, C8, C6N, C8N, CD6, CD6N, CD8, CD8N, CX, CXN, 06 or 06N, followed by B, E0N, E2N, A2N, E3 or E1, with or without M, H, A, F, Z1 or Z2, with or without D, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): M3GE1 followed by 66 or 8, followed by 0, followed by C4, C6, C3N, C4N, CD3N, CD4, CD4N, CD6, CX, CXN or M5, followed by E0N, E2N, A2N, E3 or E1, with or without M, H, A, F or Z1, with or without D, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): M4GA1 or M4GD1 followed by 1, 2, 3, 4, 5 or 8, followed by 0, followed by C4, C6, CX, C3N, C4N, CXN, M5, followed by E0N, E2N, A2N, E3 or E1, with or without M, H, K, A, F or Z1, with or without D, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): M4GA2 or M4GD2 followed by 1, 2, 3, 4, 5 or 8, followed by 0, followed by C4, C6, C8, CX, C6N, C8N, CXN, 06 or 06N, followed by B, E0N, E2N, A2N, E3 or E1, with or without M, H, K, A, F, Z1 or Z2, with or without D, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): M4GA3 followed by 1, 2, 3, 4, 5 or 8, followed by 0, followed by C6, C8, C10, CX, C8N, C10N, CXN, 08 or 08N, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without H, K, A, F, Z1 or Z2, with or without D, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): M4GB2 or M4GE2 followed by 1, 2, 3, 4, 5 or 8, followed by 0, followed by C4, C6, C8, C6N, C8N, CD6, CD6N, CD8, CD8N, CL6, CL8, CX, CL6N, CL8N, CXN, 06 or 06N, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without M, H, K, A, F, Z1 or Z2, with or without D, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): M4GB3 or M4GE3 followed by 1, 2, 3, 4, 5 or 8, followed by 0, followed by C6, C8, C10, C8N, C10N, CD8, CD8N, CD10, CD10N, CL8, CL10, CX, CL8N, CL10N, CXN, 08 or 08N, followed by B, E0N, E2N, A2N, E3 or E1, with or without H, K, A, F, Z1 or Z2, with or without D, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): MN3GA1 or MN3GD1 followed by 1, 11, 66 or 8, followed by 0, followed by C4, C6, CX, C3N, C4N, CXN or M5, followed by E0N, E2N, A2N, E3 or E1, with or without M, H, K, A, F or Z1, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23 or 24, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): MN3GA2 or MN3GD2 followed by 1, 11, 66 or 8, followed by 0, followed by C4, C6, C8, CX, C6N, C8N, CXN, 06 or 06N, followed by B, E0N, E2N, A2N, E3 or E1, with or without M, H, K, A, F or Z1, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): MN3GB1 followed by 66 or 8, followed by 0, followed by C4, C6, C3N, C4N, CD3N, CD4, CD4N, CD6, CX or CXN, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without M, H, A, F or Z1, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23 or 24, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): MN3GB2 or MN3GE2 followed by 66 or 8, followed by 0, followed by C4, C6, C8, C6N, C8N, CD6, CD6N, CD8, CD8N, CX or CXN, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without M, H, A, F or Z1, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): MN3GE2 followed by 66 or 8, followed by 0, followed by C4, C6, C8, C6N, C8N, CD6, CD6N, CD8, CD8N, CX or CXN, followed by B, E0N, E2N, A2N, E3 or E1, with or without M, H, A, F or Z1, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): MN4GA1 followed by 1, 2, 3, 4, 5 or 8, followed by 0, followed by C4, C6, CX, C3N, C4N, CXN or M5, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without M, H, K, A, F or Z1, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23 or 24, with or without FL suffixed with a six-digit number, followed by 3. (

Electrically Operated Valves, Model(s): MN4GA2 followed by 1, 2, 3, 4, 5 or 8, followed by 0, followed by C4, C6, C8, CX, C6N, C8N, CXN, 06 or 06N, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without M, H, K, A, F or Z1, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): MN4GB1 followed by 1, 2, 3, 4, 5 or 8, followed by 0 or 9, followed by C4, C6, C3N, C4N, CD3N, CD4, CD4N, CD6, CL4, CL6, CX, CL3N, CL4N or CXN, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without M, H, K, A, F or Z1, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23 or 24, with or without FL suffixed with a six-digit number, followed by 3.

Electrically Operated Valves, Model(s): MN4GB2 or MN4GE2 followed by 1, 2, 3, 4, 5 or 8, followed by 0, followed by C6, C8, C6N, C8N, CL6, CL8, CX, CL6N, CL8N or CXN, followed by B, E0N, E2N, A2N, E3 or E1, with or without M, H, K, A, F or Z1, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20, with or without FL suffixed with a six-digit number, followed by 3.

General-purpose valve, Model(s): 4GA2 or 4GD2 followed by 1, 2, 3, 4 or 5 followed by 0R, followed by C4, C6, C8, C6N, C8N, 06 or 06N, followed by B, E0N, E2N, A2N, E3 or E1, with or without M, H, P, A or F, with or without FL suffixed with a six-digit number, followed by 3, followed by UL.

General-purpose valves, Model(s): 3GA2 or 3GD2 followed by 1, 11 or 66, followed by 9R, followed by C4, C6, C8, C6N, C8N, 06 or 06N, followed by B, E0N, E2N, A2N, E3 or E1, with or without M, H, K, P, A or F, with or without FL suffixed with a six-digit number, followed by 3, followed by UL.

General-purpose valves, Model(s): 3GA2 or 3GD2 followed by 1, 11 or 66, followed by 0R, followed by C4, C6, C8, C6N, C8N, 06 or 06N, with or without E0, E00, E01, E02, E03, E2, E20, E21, E22, E23, E01J, E02J, E03J, E21J, E22J or E23J, with or without M, H, P, A or F, with or without FL suffixed with a six-digit number, followed by 3, followed by UL.

General-purpose valves, Model(s): 3GA3 followed by 1 or 11, followed by 0, followed by C6, C8, C10, C8N, C10N, 08 or 08N, followed by B, E0N, E2N, A2N, E3 or E1, with or without H, P, A or F, with or without FL suffixed with a six-digit number, followed by 3.

General-purpose valves, Model(s): 3GD3 followed by 1 or 11, followed by 0, followed by C6, C8, C10, C8N, C10N, 08 or 08N, followed by B, E0N, E2N, A2N, E3 or E1, with or without H, P, A or F, with or without FL suffixed with a six-digit number, followed by 3.

General-purpose valves, Model(s): 4GA2 followed by 1, 2, 3, 4 or 5, followed by 9, followed by C4, C6, C8, C6N, C8N, 06 or 06N, followed by B, E0N, E2N, A2N, E3 or E1, with or without M, H, K, P, A or F, with or without FL suffixed with a six-digit number, followed by 3.

General-purpose valves, Model(s): 4GA2 or 4GD2 followed by 1, 2, 3, 4 or 5, followed by 0R, followed by C4, C6, C8, C6N, C8N, 06 or 06N, followed by B, E0N, E2N, A2N, E3 or E1, with or without M, H, P, A or F, with or without FL suffixed with a six-digit number, followed by 3, followed by UL.

General-purpose valves, Model(s): 4GA2 or 4GD2 followed by 1, 2, 3, 4 or 5, followed by 9R, followed by C4, C6, C8, C6N, C8N, 06 or 06N, followed by B, E0N, E2N, A2N, E3 or E1, with or without M, H, K, P, A or F, with or without FL suffixed with a six-digit number, followed by 3, followed by UL.

General-purpose valves, Model(s): 4GB1 or 4GE1 followed by 1, 2, 3, 4 or 5, followed by 9R, followed by 00, followed by E0N, E2N, A2N, E3 or E1, with or without M, H, K, A or F, with or without FL suffixed with a six-digit number, followed by 3, followed by

UL.

General-purpose valves, Model(s): 4GB1 or 4GE1 followed by 1, 2, 3, 4 or 5, followed by 0R, followed by 06 or 06N, followed by E0N, E2N, A2N, E3 or E1, with or without M, H, K, A or F, with or without FL suffixed with a six-digit number, followed by 3, followed by UL.

General-purpose valves, Model(s): 4GB2 followed by 1, 2, 3, 4 or 5, followed by 0, followed by 08 or 08N, followed by B, E0N, E2N, A2N, E3 or E1, with or without H, K, A or F, with or without FL suffixed with a six-digit number, followed by 3.

General-purpose valves, Model(s): 4GD2 followed by 1, 2, 3, 4 or 5, followed by 9, followed by C4, C6, C8, C6N, C8N, 06 or 06N, followed by B, E0N, E2N, A2N, E3 or E1, with or without M, H, K, P, A or F, with or without FL suffixed with a six-digit number, followed by 3.

General-purpose valves, Model(s): 4GE2 followed by 1, 2, 3, 4 or 5, followed by 0, followed by 08 or 08N, followed by B, E0N, E2N, A2N, E3 or E1, with or without H, K, A or F, with or without FL suffixed with a six-digit number, followed by 3.

General-purpose valves, Model(s): AB41 followed by 03, 04, 3G, 4G, 3N or 4N, followed by 8, with or without 0, B, V, D, E, W, H, J, P, L, M or R, with or without 00 or 2A, with or without B, with or without S, followed by AC110V or AC120V

General-purpose valves, Model(s): AB41 followed by 02, 03, 2G, 3G, 2N or 3N, followed by 1, 2, 3, 4, 5, 6 or 7, with or without 0, B, C, V, D, E, F, W, H, J, K, P, L, M, N or R, with or without 00 or 2A, with or without A, with or without B, with or without S, followed by AC110V or AC120V.

General-purpose valves, Model(s): ADK11 followed by 8 or 10, followed by A, G or N, followed by 0, B, D, E, H, J, L or M, followed by 2C or 2A, with or without B, with or without S, followed by AC110V or AC120V

General-purpose valves, Model(s): AG41 followed by 02, 03, 2G, 3G, 2N or 3N, followed by 1 or 2, with or without 0, B, C, V, D, E, F, W, H, J, K, P, L, M, N or R, with or without 00 or 2A, with or without A, with or without B, with or without S, followed by AC110V or AC120V

General-purpose valves, Model(s): AP11 followed by 15, 20 or 25, followed by X, followed by a four-digit alphanumeric suffix, followed by FL, followed by a six-digit number, followed by AC110V or AC120V.

General-purpose valves, Model(s): AP12 followed by 8, 10, or 25, followed by X, followed by a four-digit alphanumeric suffix, followed by FL, followed by a six-digit number, followed by AC110V or AC120V0

General-purpose valves, Model(s): AP21 followed by 32, followed by X, followed by a four-digit alphanumeric suffix, followed by FL, followed by a six-digit number, followed by AC110V or AC120V.

General-purpose valves, Model(s): GAB412 followed by G or N, followed by 1, 2, 3, 4, 5, 6 or 7, followed by 0, 2, 3, 4, 5, 6, 7, 8, 9 or 10, with or without 0, B, C, D, E, F, H, J, K, P, L, M, N or R, with or without 00 or 2A, with or without A, with or without S, followed by AC110V or AC120V.

General-purpose valves, Model(s): GAB452 followed by G or N, followed by 1, 2, 3, 4, 5, 6 or 7, followed by 0, 2, 3, 4, 5, 6, 7, 8, 9 or 10, with or without 0, B, C, D, E, F, H, J, K, P, L, M, N or R, with or without 00 or 2A, with or without A, with or without S, followed by AC110V or AC120V.

General-purpose valves, Model(s): GAG41 followed by 2 or 3, with or without G or N, followed by 1 or 2, followed by 0, 2, 3, 4, 5, 6, 7, 8, 9 or 10, with or without 0, B, C, D, E, F, H, J, K, P, L, M, N or R, with or without 00 or 2A, with or without A, with or without S, followed by AC110V or AC120V.

General-purpose valves, Model(s): GAG45 followed by 2 or 3, with or without G or N, followed by 1 or 2, followed by 0, 2, 3, 4, 5, 6, 7, 8, 9 or 10, with or without 0, B, C, D, E, F, H, J, K, P, L, M, N or R, with or without 00 or 2A, with or without A, with or without S, followed by AC110V or AC120V.

General-purpose valves, Model(s): M3GB1 followed by 66 or 8, followed by 0, followed by C4, C6, C3N, C4N, CD3N, CD4, CD4N, CD6, CX, CXN or M5, followed by E0N, E2N, A2N, E3 or E1, with or without M, H, A, F or Z1, with or without D, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20, with or without FL suffixed with a six-digit number, followed by 3.

General-purpose valves, Model(s): M3GE1 followed by 66 or 8, followed by 0, followed by C4, C6, C3N, C4N, CD3N, CD4, CD4N, CD6, CX, CXN or M5, followed by E0N, E2N, A2N, E3 or E1, with or without M, H, A, F or Z1, with or without D, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20, with or without FL suffixed with a six-digit number, followed by 3.

General-purpose valves, Model(s): MN3GB2 followed by 66 or 8, followed by 0, followed by C4, C6, C8, C6N, C8N, CD6, CD6N, CD8, CD8N, CX or CXN, followed by B, E0N, E2N, A2N, E3 or E1, with or without M, H, A, F or Z1, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20, with or without FL suffixed with a six-digit number, followed by 3.

General-purpose valves, Model(s): MN3GE2 followed by 66 or 8, followed by 0, followed by C4, C6, C8, C6N, C8N, CD6, CD6N, CD8, CD8N, CX or CXN, followed by B, E0N, E2N, A2N, E3 or E1, with or without M, H, A, F or Z1, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20, with or without FL suffixed with a six-digit number, followed by 3.

Last Updated on 2025-02-14

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."